ENVIRONMENT CLEARANCE COMPLIANCE REPORT

April 2022-September 2022 For

GRANITE BUILDING STONE QUARRY (Minor Mineral)

Extent: 2.4374 Ha. (6.0229 Acres)

At

Sy No.: 135

Village: Ambalappara II

Taluk: Ottapalam

District: Palakkad

State: Kerala,

'Quarry Project of P.P.K. Granites'

File NO: E/2703/16/DIEAA

Dated: 21/04/2017

Date: 18-11-2022

To,

The Member Secretary
State Environment Impact Assessment Authority (SEIAA)
Directorate of Environment & Climate Change

Directorate of Environment & Climate Change 4th Floor, KSTRC Bus Terminal, Thampanoor, Kerala-01

Respected Sir,

Sub: Environmental Clearance Compliance Report for the period April 2022 – September 2022 pertaining to 'Granite Building Stone Quarry of 'PPK Granites and Crusher Private Limited'

Ref: Environmental Clearance No: 4/16, Dated: 21/04/2017.

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from April 2022 to September 2022 of the EC Granted to 'Granite Building Stone Quarry of PPK Granites and Crusher Private Limited 'by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order.

Thanking you,

Yours truly,

For 'Granite Building Stone Quarry of PPK Granites and Crusher Private Limited'

Shri. Nisarudeen (Managing Director)

Encl: as above

Cc:

The Deputy Director General of Forests(C)

MoEF, Regional office, Koramangala, Bangalore. Kendriya Sadan, 4th Floor, E & F. Wings, 17th Main Road, Koramangala, 2ND Block, *Bangalore* - 560034

Description of the project

File No.		E/2703/16/DEIAA
Name of the project		Quarry Project of P.P.K. Granites & Crusher Products Pvt. Ltd (Minor Mineral)
District and state	:	Palakkad, Kerala
Taluk / Mandal	:	Ottapalam
Category & Schedule		B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	:	Sy. No:135
Extent of Area		2.4374 Ha
Ownership/ Occupancy	:	Private Own Land
Latitude &	:	N - 10°48'25.73" to N - 10°48'19.61"
Longitude		E - 76°24'15.16" to E - 76°24'07.04"
Address of		M/s. P.P.K. Granites and Crusher Products
Registered office		Private Limited.Chunangadu Post, Ottappalam,
		Palakkad District, Kerala – 679511
		Ph No.: +91 9747125476.

Compliance Status of the General Conditions for Mining Projects Laid down by the State Environment Impact Assessment Authority, Kerala vide their Environment Clearance No. 37/2017 dated: 29/05/2017.

SPECIFIC CONDITIONS

<u>Sl</u> <u>No.</u>	Conditions	Status of compliance
1	A Mines manager shall be appointed to control, direct, manage and supervise the Quarrying operations as required under the Mines Act, 1952.	Mines manager has been appointed to control, direct, manage and supervise the Quarrying as required under the Mines Act, 1952.
2	Health and welfare measures for the persons employed shall be implemented.	Health and welfare measures for the persons employed in the quarry has been implemented periodic health checkups are been regularly carried out to all the employees employed in the quarry, as welfare measure proper PPE's are distributed to all the employees.
3	Controlled blasting should be practiced, and blasting shall be done during daytime. The mitigative measures for control of ground vibrations to arrest the fly rocks and boulders should be implemented.	Controlled blasting is practiced and blasting is done during day time and the mitigative measures are strictly followed to control the ground vibrations to arrest the fly rocks & Boulders.
4	Plantation shall be done which includes a green belt of adequate width around the mining lease area excluding the rocky area, along roads, overburden dumps and	Plantation is done around the mining lease area excluding the rocky area, along roads, overburden dumps and

11	Dust Suppression mechanism must	Sprinklers are erected to suppress
		are less than 10mm/sec
10	The PPV values must be less than 10mm/sec	Necessary mitigation measures and precautions are taken. PPV values
10	The DDV values must be less than	
	surely delicited to.	all the access of quarry road. Photos are attached as Annexure-1.
9	The blasting time must displayed and strictly adhered to.	The blasting time is displayed in the
0		Photos are attached as Annexure-1.
	Appropriate sign boards should be displayed.	prominent places.
8		Sign boards have been erected at
0	A	Annexure-17.
		Receipts and payments are attached as
1	inclusion of felt needs of the locality.	by the Project proponent.
7	The CSR need redrafting with	CSR Activities are being carried out
	all around the lease area.	Photos are attached as Annexure-6.
6	Fencing must be maintained properly	Lease area is fenced completely.
		Photos are attached as Annexure-4.
		before the onset of monsoon.
	be done every year before the onset of monsoon.	De siltation is carried out every year
	arrest siltation. De siltation shall also	wherever required to arrest siltation.
	constructed wherever required to	and gully checks are constructed
	silted and maintained properly. Check dam and gully checks shall be	and maintained properly. Check dam
5	The drains should be regularly de	The drains are regularly de silted
		Photos are attached as Annexure-2.
	Suitable native specious in consultation with the local DFO/Agriculture Department.	Agriculture Department.
		consultation with the local DFO/
		Suitable native specious in
	non-mineralized area by planting	non-mineralized area by planting

EC Compliance Report of PPK Granites & Crusher Pvt Ltd (April 2022 to September 2022)

	be in place.	the dust in all the places of the quarry area. Photos are attached as Annexure-10.
12	A separate small plot to be maintained in the premise to preserve rare and endemic species, if any, listed. In the Biodiversity assessment.	Noted.

GENERAL CONDITIONS

1.	Rainwater harvesting facility should be installed as per prevailing provisions of KMBR/KPBR, unless otherwise specified.	Rainwater harvesting is a technically feasible solution for overcoming the problem of water scarcity in Mines. Rain water harvesting facility is made and maintained.
2.	Environment Monitoring Cell as agreed under the affidavit filed by the proponent.	Environment monitoring cell is formed & is made functional.
3.	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including approach roads and internal roads.	Local species saplings procured from Forest department are being planted before onset of monsoons. Photos of plantation are attached as Annexure-2 .
4.	Maximum possible solar energy generation and utilization shall be ensured as an essential part of the project.	Solar Energy generation and utilization is adopted. Photos are attached as Annexure-7 .
5.	Sprinklers shall be installed and used in the Project Site to contain dust emissions.	Water Tankers with Sprinklers are used in project site to control dust emission.
6.	Eco-restoration, including the Mine Closure Plan shall be done at the own cost of the Project Proponent.	Plantation of various saplings within the project area has been initiated. The mine closure plan will be prepared as agreed by the project proponent.
7.	At least 10 per cent of total excavated Pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of the Pit is stipulated in the EC.	During the Closure of the mine, 10 percent of total excavated pit will be retained as water storage area and the remaining area will be reclaimed with stacked dumping & overburden and indigenous plant species will be planted.
8.	Corporate Social Responsibility (CSR) agreed upon by the Proponent should be implemented.	CSR agreed upon by the proponent is being implemented.

9.	The Lease area shall be fenced off with barbed wires to a minimum height of 4 ft around, before starting of Mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.	Lease area is fenced off with barbed wires. Sign boards have been erected at prominent places. Photos of the Sign Boards were enclosed as Annexure-1.
10.	Warning alarms indicating the time of Blasting (to be done at specific timings) has to be arranged as per stipulations of the Explosives department.	Warning alarms indicating the time of blasting are arranged as per the stipulations. Necessary precautions while blasting is taken. Blasting Time is displayed in the mine.
11.	Control measures on noise and vibrations prescribed by KSPCB should be implemented.	 Noise and vibration control measures is implemented by adapting controlled blasting. Use of sharp drilling bits, delivery of compressed air at optimal pressure. Proper maintenance of compressor, drilling machine, jackhammers and tipper trucks. Regular monitoring of noise levels is being done within the core zone and the buffer zone of the mining lease area.
12.	Quarrying activities should be limited to daytime as per KSPCB guidelines/specific conditions.	Quarrying activities will be limited to daytime only as per KSPCB guidelines. KSPCB License is enclosed as Annexure-15.
13.	Blasting should be done in a controlled manner as specified by the regulations of the Explosives department or any other concerned agency.	Controlled blasting is done as per regulations. Copy of the Explosive License is enclosed as Annexure-16 .
14.	A licensed person should supervise/control the Blasting Operations	Blasting supervision/control is done by a Mining Official having DGMS Certificate.
15.	Access roads to the quarry shall be tarred to contain dust emission that	Access road to the Quarry is well maintained. Water

	may arise during the transportation of materials.	Sprinkling is done using water tanker to control dust emissions.
16.	Overburden materials should be managed within the site and used for reclamation of Mine Pit as per Mine closure Plan/specific conditions	Overburden material is kept within the site and will be used for reclamation of Mine Pit as per Mine Closure Plan/specific conditions.
17.	Height of Benches should not exceed 5 M and width should not be less than 5 M, if there is no mention in the Mining Plan/specific conditions	The height of the benches is not above 5 metres, and the width is no less than 5 metres, Safety is ensured. (Annexure-11)
18.	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided	Mats are laid on the top of the charged holes area to control fly rock and kept below 10ppv.
19.	Maximum depth of mining and general ground level at site shall not exceed 10m	Noted.
20.	No Mining operations should be carried out at places having a slope greater than 45°	No Mining operations are carried out at places having a slope greater than 45°
21.	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow bricks envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided to reduce sound amplifications.
22.	The workers on the site should be provided with the required protective equipment such as ear muffs helmet, etc.	Requisite Personal Protective equipment (PPE's) is provided to all employees.
23.	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are constructed to channelize storm water. Photos are attached as Annexure-5.
24.	The transportation of minerals should be done in covered trucks to contain dust emissions.	All trucks transporting material are covered by firmly tied tarpaulin.

25.	The proponent should plant trees at least 5 times the loss that has been occurred while clearing the land for the project.	Plantation are being done which includes a green belt of adequate width around the mining lease area excluding the rocky area, along roads, overburden dumps and non-mineralized area by planting suitable species in consultation with the local DFO/Agriculture Department. Photos of Plantation is attached as Annexure-2 .
26.	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is used as a lubricant for drilling machines.
27.	Explosives should be stored in magazines in isolated place specified and approved by the Explosive Department.	Explosives are stored in a Licensed Explosives Magazine, which is approved by PESO. Copy of magazine license is attached as Annexure-16.
28.	A minimum buffer distance of 50 M from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	No dwellings are situated within 50 M from the boundary of the quarry.
29.	100 M buffer distance should be maintained from forest boundaries	Agreed.
30.	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Consent from KSPCB under Air and Water Act(s) is obtained. Copy of the consent is attached as Annexure-15 .
31.	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competitive authorities including that for blasting and storage of explosives.	All required statutory clearances are obtained.
32.	In the case of any change(s) in the scope of the Project, extent, quantity, process of mining technology involved or in any way affecting the environment parameters/impacts as assessed, based on which only the EC is issued, the project would require a	There is no change in the scope of the project.

-	T.	
	fresh appraisal by this Authority, for	
	which the proponent shall apply and	
	get the approval of this Authority.	
33.	The Authority reserves the right to	Agreed.
ASSESSED A	add additional safeguard measures	
	subsequently, if found necessary, and	
	to take action including revoking of	
	the Environmental Clearance under	
	provisions of the Environment	
	(Protection) Act,1986, to ensure	
	effective implementation of the	
	suggested safeguard measures in a	
	time bound and satisfactory manner.	
34.	The stipulations by the Statutory	Agreed
٦٠.	Authorities under different Acts and	1.51000
	Notifications should be complied with	
	including the provisions of the Water	
	(Prevention and control of Pollution)	
	Act,1974, the Air (Prevention and	
	control of Pollution) Act1981, the	
	Environment (Protection) Act,1986,	
	the Public Liability (Insurance)	
	Act, 1991 and EIA Notification, 2006	
35.	The project proponent should	Advertisements are given in two
	advertise in at least 2 newspapers	local newspapers. Photos are
	widely circulated in the region, one of	
	which (both the advertisement and the	ditabled as Timerate 15.
	newspaper) shall be in the vernacular	
	language informing that the Project	
	has been accorded Environment	
	Clearance and the copies of the	
	Clearance letters are available with	
	the State Environment Impact	
	Assessment Authority (SEIAA) office	
	and may also be seen on the website	
	of the Authority at	
	www.seiaakerala.org. The	
	advertisement should be made within	
	10 days from the date of receipt of the	
	clearance letter and a copy of the	
	same signed in all the pages should be	

	forwarded to the Office of this Authority as confirmation	
36.	A copy of the clearance letter shall be sent by the proponent to the concerned Gram Panchayat/District Panchayat/ Municipality/Corporation/Urban local Body and also to the Local NGO, if any from whom suggestions/ representations, if any were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.	A copy of the Clearance is submitted to the concerned authorities. Copy of Panchayat license attached as Annexure-14.
37.	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective regional office of the MOEF, Govt. of India and also to the State Environment Impact Assessment Authority (SEIAA) office	submitted as stipulated to State Environmental Impact Assessment
38.	The details of Environment Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times Roman font of size not less than 40. Sign board with extent of Lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public	Mine. Photo of the sign board is attached as Annexure-1 .
39.	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the	Noted.

	122 2 1 1 1 1 DO 1 11	
	conditions stipulated in the EC shall	
40	be scrupulously followed.	D' CONTRACTOR OFFICE
40.	No change in mining technology and	Prior approval from the SEIAA
	scope of working should be made	will be sought in case of change of
	without prior approval of the SEIAA.	mining technology.
	No further expansion or modifications	
	in the mine shall be carried out	
	without prior approval of the SEIAA,	
	as applicable.	
41.	The Project proponent shall ensure	No natural water course is
	that no natural water course and/or	obstructed. Necessary safeguard
	water resources shall be obstructed	measures are taken to protect first
	due to any mining operations.	order streams if originating from
	Necessary safeguard measures to	the mining lease in the future.
	protect the first order streams, if any,	
	originating from the mine lease shall	
	be taken.	
42.	Monitoring of Ambient Air Quality to	Monitoring of Ambient Air
	be carried out based on the	Quality is carried out.
	Notification 2009, as amended from	Monitoring reports have been
	time to time by the Central Pollution	enclosed as Annexure-18.
	Control Board. Water sprinkling	Water sprinkling is done at
	should be increased at places loading	appropriate places.
	and unloading points & transfer point	
	to reduce fugitive emissions.	
43.	The top soil, if any, shall be	Available top soil is being used for
	temporarily be stored at earmarked	plantation. OB generated is stacked
	site(s) only for the topsoil shall be	separately and will be vegetated
	used for land reclamation and	with locally available shrubs and
	plantation. The Over burden (OB)	grasses.
	generated during the mining	
	operations shall be stacked at	
	earmarked dump site(s) only. The	
	maximum height of the dumps shall	
	not exceed 8 m and the width 20 m	
	and overall slope of the dumps shall	
	be maintained to 45°. The OB dumps	
	should be scientifically vegetated with	
	suitable native species to prevent	
	erosion and surface run off. In critical	
	areas, use of geo-textiles shall be	

Г		
	undertaken for stabilization of the	
	dump. The entire excavated area	
	should continue until the vegetation becomes self- sustaining.	
44.		Catch drains and siltation nands are
	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development, etc. The drains shall be regularly de silted particularly after monsoons and maintained properly.	Catch drains and siltation ponds are made around the mining workings, mineral and the water from the drain is directed to the Rain Water Harvesting Pond. The water from RWHP is utilized for watering the mine area, roads, green belt development etc. The drains will be regularly de silted particularly after monsoons and maintained properly.
45.	Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading points and transfer points-it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Regular water sprinkling is being done on all necessary roads with watertankers and sprinklers.
46.	Fugitive dust emissions from all sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading and transfer points should be provided and properly maintained.	
47.	Measures should be taken for control of noise levels below 85 dB (A) in the work environment.	Adequate measures for noise control are adopted.
48.	A separate environmental	An Environment Management Cell
	management cell with suitable	has been set up with Mr.
	qualified personnel should be set up	Nisarudheen as the head of the Cell.
	under the control of a senior	
	executive, who will report directly to	

protection measures and CSR activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The			
protection measures and CSR activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The			
activities should be kept in a separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The	49.		AND COMMENTED IN THE PROPERTY OF THE PROPERTY
account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		protection measures and CSR	environment protection measures
other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		activities should be kept in a separate	and CSR activities are being kept in
should be reported to the State Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		account and should not be diverted for	a separate account and will not be
Environment Impact Assessment Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		other purpose. Year wise expenditure	diverted for other purpose. Year
Authority (SEIAA) office. 50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		should be reported to the State	wise expenditure will be reported to
50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The		Environment Impact Assessment	the State Environment Impact
50. The Regional office of MoEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		Authority (SEIAA) office.	Assessment Authority (SEIAA)
located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The		***	office.
compliance of the stipulated conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The	50.	The Regional office of MoEF & CC	Agreed
conditions. The project authorities should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The		located at Bangalore shall monitor	200
should extend full cooperation to the office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The		compliance of the stipulated	
office (s) of the Regional office by furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the above conditions is not satisfactory. The			
furnishing the requisite data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		should extend full cooperation to the	
data/information/monitoring reports. 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		office (s) of the Regional office by	
 51. Any appeal against the Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The 		furnishing the requisite	
Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		data/information/monitoring reports.	
Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The	51.	Any appeal against the Environment	Agreed
period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		Clearance shall lie with the National	***
Section 16 of the National Green Tribunal Act, 2010 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		Green Tribunal, if preferred, within a	
52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		period of 30 days as prescribed under	
 52. Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The 		Section 16 of the National Green	
submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The	G.	Tribunal Act, 2010	
and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The	52.	Concealing the factual data or	Agreed
conditions mentioned above may result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		submission of false/fabricated data	
result in withdrawal of this clearance and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		and failure to comply with any of the	
and attract action under provisions of the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		conditions mentioned above may	
the Environment (Protection) Act, 1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		result in withdrawal of this clearance	
1986. 53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		and attract action under provisions of	
53. The SEIAA may revoke or suspend the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		the Environment (Protection) Act,	
the order for non-implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The		1986.	
any of the specific or this implementation of any of the above conditions is not satisfactory. The	53.	The SEIAA may revoke or suspend	Agreed
implementation of any of the above conditions is not satisfactory. The		the order for non-implementation of	
conditions is not satisfactory. The		any of the specific or this	
SEIAA reserves the right to		conditions is not satisfactory. The	
		SEIAA reserves the right to	
alter/modify the above conditions or		alter/modify the above conditions or	
stipulate any further condition in the			
interest of the environment protection		interest of the environment protection	

51	The above conditions shall proveil not	Agreed
54.	The above conditions shall prevail not withstanding anything to the contrary,	Agreed
	inconsistent or simplified, contained	
	in any other permit, license on	
	consent given by any other authority	
	for the same project.	
55.	The order is valid for a period of 5	Agreed
55.	years of the expiry date of Mine lease	Agreed
	period issued by the Government of	
	Kerala, whichever is earlier.	
56.	The Environment Clearance will be	Agreed
50.	subject to the final order of the courts	rigieed
	in any pending litigation related to the	
	land or the project, in any court of	
	law.	
57.	The Mining operations shall be	Mining operations will be
	restricted to above ground water table,	restricted to above ground water
	and it should not intersect ground	table and due care will be taken so
	water table.	that mining does not intersect
		ground water table.
58.	All vehicles used for transportation	All transportation vehicles have
	and within the mines shall have 'PUC'	'PUC' Certificate issued by an
	certificate from authorized pollution	authorized Pollution checking
	checking center. Washing of all	center. All the vehicles are washed
	vehicles shall be inside the Lease area	inside the lease area.
59.	Project proponent should obtain	There is no need for Drawl of
	necessary prior permission of the	Surface and ground water for the
	competent authorities for drawl of	project activities.
	necessary quantity of surface and	
60	ground water for the project.	No paranaial nallah flavva thravah
60.	Regular monitoring of flow rates and water quality upstream and	No perennial nallah flows through the lease or exist around the Mine
	1 2 1	Lease.
	downstream of the springs and perennial nallahs flowing in and	Lease.
	around the mine lease area shall be	
	carried out and reported in the	
	six-monthly reports to SEIAA.	
61.	Occupational health surveillance	Occupational health surveillance will
	program of the workers should be	be undertaken periodically.
	undertaken periodically to observe any	

For Granite Building Stone Quarry of P.P.K Granites and Crusher

Mr. Nisarudeen

(Partner)


Date: 18-11-2022






Sign Boards












Plantation along the Roads

Plantations









Well maintained Access Roads



Garland Drains

Annexure-5





Silt Settling Tank







Boundary Pillars and fencing



Solar energy Utilization

BHARTIYA ONE

#56, 21st A Main Road, JP Nagar 2nd

Phase.

Bangalore, Karnataka 560078

IN

6364058600

support@tapetum.in

www.tapetum.in

GSTIN: 29ALLPM5858Q2ZV



RETAIL INVOICE

BILL TO

PPK GRANITES & CRUSHER

PRODUCTS PVT LTD

Chunangad, Ottappalam,

Palakkad, Kerala 679511 India

State Code: 32

GSTIN: 32AAGCP9973Q1ZH

PLACE OF SUPPLY

32 - Kerala

PHONE NO

8848022406

SHIP TO

PPK GRANITES &

CRUSHER PRODUCTS PVT

LTD

Chunangad, Ottappalam, Palakkad, Kerala 679511

IGST

India

State Code: 32

RETAIL INVOICE NO. TIS081 DATE 27/05/2022

> STATUS Online

NO

SOLD BY Uday

PRODUCT NAME Solar Owl Street

Light 15 Watt

12.0%

4,950.00

RATE

AMOUNT 4,950.00

Beneficiary Name: Bhartiya One

HSN/SAC

94055040

Bank A/C: 232405000191 Bank IFSC: ICIC0002324 Branch: JP NAGAR

IGST @ 12% on 4419.64

TOTAL PAYMENT **BALANCE DUE** 530.36

4,950.00

4,950.00

₹0.00

Terms & conditions:

- * Products Once Sold Cannot Be Taken Back Or Exchanged.
- * Tapetum India Solar does not offer On-Site warranty.
- * This Invoice certificate does not cover the warranty of products that are lost, destroyed or tampered with.
- * This certificate is void if altered in any way.
- * Failure or Performance issue due to Tampering of Product will invalidate the warranty claim.

BHARTIYA ONE

#56, 21st A Main Road, JP Nagar 2nd Phase, Bangalore, Karnataka 560078 IN 6364058600 support@tapetum.in www.tapetum.in GSTIN: 29ALLPM5858Q2ZV





RETAIL INVOICE

BILL TO

PPK GRANITES & CRUSHER

PRODUCTS PVT LTD

Chunangad, Ottappalam, Palakkad, Kerala 679511 India

State Code: 32

GSTIN: 32AAGCP9973Q1ZH

PLACE OF SUPPLY

32 - Kerala

SHIP TO

PPK GRANITES &

CRUSHER PRODUCTS PVT

LTD

Chunangad, Ottappalam, Palakkad, Kerala 679511

India

State Code: 32

RETAIL INVOICE NO. TIS120 DATE 01/07/2022

> STATUS Online

PHONE NO 8848022406

Uday

NO HSN/SAC

PRODUCT NAME

TAX

QTY

1

RATE

AMOUNT

1 94055040

Solar Street Light 30 Watt Bat Series 12.0% IGST

15,500.00

15,500.00

Beneficiary Name: Bhartiya One

Bank A/C: 232405000191

Bank IFSC: ICIC0002324

Branch: JP NAGAR

IGST @ 12% on 13839.29

TOTAL

PAYMENT

BALANCE DUE

1,660.71

15,500.00 15,500.00

₹0.00

Terms & conditions:

- * Products Once Sold Cannot Be Taken Back Or Exchanged.
- * Tapetum India Solar does not offer On-Site warranty.
- * This Invoice certificate does not cover the warranty of products that are lost, destroyed or tampered with.
- * This certificate is void if altered in any way.
- * Failure or Performance issue due to Tampering of Product will invalidate the warranty claim.



Tarpaulin Covered trucks







Environmental Monitoring




Water Sprinkling System



Bench Formation





Plantation Receipts

Annexure-13 News Paper Ads

വെയുള്ള ജലനഷ്ടം ഒഴിവാക്കണം

and atomilars to the ाइक होन्ड लोलां वक वह malesan enignami ം ഒഴിവാക്കാൻ നടപ and some and and all ാക്കാരാകുന്നു. ആളിയാർ न क नाजनी तापरी साहा तालू പോളിലെത്തിച്ച് അവി mi senessai allandi മെത്രം എത്തിച്ചാണ് തിന് വഴിക്കുന്നത്. ഇ മെത്തർ വഴി നൽകി ത കിരവാമിറ്റർ കനാത് ായിരിക്കും അത് വ क सहा क्षायीं सही में क बनाया कारत के मी प्र ത്ചാനിക്കളം -ആളി ംക്ഷണ സമിതി ක් කුණාගුගත්මේ ස ാക്ഷ് അധികൃതർ രെ നടപടി സ്വീകരി ് സമിതി കൺവി ംയാട് മണി ആവ വെയാർ വഴിയാ കാളത്തിലേക്ക് **ച**ൊച്ചായ്യത്തിൽ amot an ചർ മഴി വെള്ളം കോളത്തിന് TIPS BOIG 6 NO SHELLING

വരൻപ്പ് പ്രക്ഷേത്രായ സാഹ്ഡാട്ട് ത്തിൽ വരെവെയാർ വഴി എറ്റ പ്രവേളളതെത്തിക്കുന്നതിന്റെ പ്രവേദകരിക്കണം എന്നാവം ശ്യപ്പെട്ട് ജലസംരക്ഷണ നാരി തി, സംയുക്ത ജലക്രമിക്കുന്ന വീഭാഗം ഡെപ്യൂട്ടി ഡയറക്ടർ ക്രീനിവേദനം നൽകി.

നോട്ടിസ്

നോട്ടീസ് പൊതുജന ശ്രദ്ധയ്ക്കായി കേരള സംസ്ഥാനം, പാലക്കാട് ജില്ല ഒറ്റ പാലം താലുക്ക്, അമ്പലപ്പാറ ഗ്രാമ പ ഡോയത്തിലും അമ്പലപ്പാറ 11 വില്ലജി ലുംപ്പെട്ട സർവ്വെ നമ്പർ.135 ൽ പാറ ഖനനം ചെയ്യുന്നത്തിനുവേണ്ട പരി സ്ഥിതി അനുമതി പി.പി.കെ. ഗ്രാനൈറ്റ്സ് 6 ക്രഷർ പ്രൊടക്സ് പ്രൈലിമിറ്റ ഡ് എന്ന സ്ഥാപനത്തിന് ഡിസ്ട്രിക് എൻവിറോൺമെന്റ് ഇംപാക് അസ്സ്റ്റ് മെന്റ് അതോറിറ്റിയിൽ (DEIAA), നി ന്നും 21.04.2017 -ാം തിയ്യതി എൻവി റോൺമെന്റ് കിയർറൻസ് നമ്പർ

4/16 (E/2703/16

DEIAA)-ാം ഓർഡർ പ്രകാരം ലഭിച്ചി രിക്കുന്നു.ഈ ഓർഡറിന്റെ പകർപ് enviromentalclearence.nic.in എന്ന വെബ്സൈറ്റിൽ ഡിസ്ട്രിക് പോർട്ടിൽ ലഭ്യമാണ് പി.പി.കെ ഗ്രാനൈറ്റ്സ് ട ക്രഷർ പ്രോഡക്സ് പ്രൈമിറ്റഡ് കുനങ്ങാട് പോസ്റ്റ്

TION PVT.LTD. TOWER, 1ST FLOOR. HOAD, PONNURUNNI, P.O. COCHIN-682019.

(operty) struction Private Ltd., yrian Bank Limited), Gets & Enforcement Act) and in exercise the Security Interest dated 28-12-2016 ira, S/o Lonappan, intor (1) Mrs. Binu Junu P.O. Thrissurse. Nellikunnu P.O. n, Pulikkattil House, landing amount of and Four Hundred igether with further nterest @ 1% per

t, notice is hereby at the undersigned ow in exercise of of read with rule 8

es in full and other

e date of the said

eneral is hereby be property will be Private Ltd. for an Thousand Four 3-2016 along with

nts of Land and Village, Thrissur hekkekkara and Kuttanellur Sub South by: Road

uthorised Officer truction Pvt. Ltd. Isus Group 24T1

NOTICE

This is to inform to the General Public that a quarry project at survey No.135 of M/S. PPK GRANITES & CRUSHER PRODUCTS PRIVATE LIMITED at Ambalapara II Village, Ambalappara Grama Panchayat, Ottapalam Taluk, Palakkad District, Kerala is accorded with ENVIRONMENTAL CLEA-RENCE by District Environment Impact Assessment Authority (DEIAA), Palakkad vide order No. 4/16 (E/2703/16/DEIAA) Date: 21.04.2017 and the Copy of the Environmental clearence is available with the office of District Environment Impact Assessment Authority (DEIAA). Palakkad and may also be seen on the website of the authority at environmentalclearence nic in

> P P K GRANITES & CRUSHER PRODUCTS PRIVATE LIMITED, CHUNANGAD POST OTTAPALAM, PALAKKAD

Education Goals
And Samu changes (C. C. C.) (C. C.) (C

Sumathi: (existence express news servi

"I wish Govindacham haunts me," said Sun rolling down her chee Friday to dismiss the ernment came as a but "It is very unfortur handed out by the Sun vail," said Sumathi.

"I don't know how to support me in my



POSSI

Whereas the undersigned bank of India under the Sank of India under the India under th

Annexure-14 Panchayat License

ലൈസൻസ് നം. A5-801/22(228)



തീയതി. 01-04-2022....

അമ്പലപ്പാറ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത്രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും അതേതുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച്

വ്വവസായങ്ങൾക്കും, ഫാക്ടറികൾക്കും, വ്യാപാര സ്ഥാപനങ്ങൾക്കും

സംരംഭ പ്രവർത്തനങ്ങൾക്കും, മറ്റ് സേവനങ്ങൾക്കും

നൽകുന്ന ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	வை. வி. அளைவ் ம வி.வி-வை குளைவ் ம வை. வி. அளைவ் வ	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	பி.பி-தை. டுணைவர் வ .	4
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	නුර්ධ (නිල කුත් summo) ms	. 47 les
കെട്ടിടത്തിന്റെ നമ്പരും, വാർഡ് നമ്പരും	Quown हा मा मुख्ये स अप्टरेश	10-135
ലൈസൻസ് കാലയളവ്	01-04-2022 23mm 31-03-2	<i>⊳</i> 230.00
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	15000/-azul 1210 80 PT- 2500/- 15	บใต้ กณเชื่ อเจ8494,95 3-2022
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി കാലയളവ്, നൽകിയ അധികാരസ്ഥാപനം)	1. ENVIRONMENTAL CLEARAN 2. POLLUTION CERTIFICATE 3. EXPLOSIVE LICENCE 4. QUARRYING LEASE 5. BLASTERS LICENCE 6. And and about some one of the second of the	കി.

ommen on a many a say a son of താരണം വ്യവസമക് ചിധേലമാമി മാരം എന്നുക്കി നൽ ആ തം

ാധ്യയ്യ മാദ്ര പ്രത്യാക്കുന്നു പ്രത്യായി മാരം ട്രാംബം പരാച്ചാരിലെ എന്നു പ്രത്യായി മാരം ഒരു പംബം വാത്ര പരിക്കാള് ജിജാ ഉട്ടേ മുമ്മു ന്ത്യകട്ടറി ഓഫീസ് മുദ്ര

അമ്പലപ്പാറ ഗ്രാമപഞ്ചായത്ത് സെ(കട്ടറി

NB : ഈ ലൈസ്റ്റേസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർഷിക്കേണ്ടത്ത്

Annexure-15 KSPCB Letter



KERALA STATE POLLUTION CONTROL BOARD

FILE NO.: PCB/PLKD/IC/CO/R17PAL4959489/2022

Date of issue :04/03/2022

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No: PCB/PLKD/ICO/R2/17346072/2022

Ref: Consent no. PCB/PLKD/ICO/R1/12718907/2020 dated 28-03-2020

The 'Integrated Consent to Operate' issued as per reference above to M/s P P K GRANITE & CRUSHER PRODUCTS PVT. LTD. QUARRY, CHUNANGAD POST, AMBALAPARA OTTAPALAM, PALAKKAD - 679511 is hereby renewed up to 20/04/2023 and issued to M/s P P K GRANITE & CRUSHER PRODUCTS PVT. LTD. QUARRY, CHUNANGAD POST, AMBALAPARA OTTAPALAM, PALAKKAD - 679511 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Validity	20/04/2023
2	Capital Investment	Rs.85.00 Lakhs
3	Category	Red
4	Fee Remitted	2000/-
5	Annual Fee	Rs.22000/-
6	Last Date For Renewal Application	28/02/2023

II. Stack Details

Stack No.	Source of	Emission	Stack Hei	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment

III. CONDITIONS

- 1. This Consent is issued based on the Judgement dated 25-10-21 of the Honourable Supreme Court of India in CA no. 6273 of 2021 and connected matters, order dated 14-12-2021 of the Honourable Supreme Court in MA no. 1904 of 2021, Judgement dated 10-11-2021 of the Honourable High Court of Kerala in WP(C) 2773 of 2021 and Judgement dated 10-12-2021 of the Honourable High Court of Kerala in WP(C) 27178 of 2021.
- 2. This Consent is issued subject to any order passed by the Honourable Supreme Court and Honourable National Green Tribunal in connected matters

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

Krishnan M N Digitally signed by Krishnan M N Date: 2022.03.04 13:55:51 +05'30'

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER



To

DATE:04/03/2022

P P K GRANITE & CRUSHER PRODUCTS PVT. LTD. QUARRY, CHUNANGAD POST, AMBALAPARA OTTAPALAM, PALAKKAD - 679511
P P K GRANITE & CRUSHER PRODUCTS PVT. LTD. QUARRY, CHUNANGAD POST, AMBALAPARA OTTAPALAM, PALAKKAD - 679511

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000
- 2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

Annexure-16 Explosive License



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसी) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्कोटक विभाग | Formerly- Department of Explosive पूर्व नाम- विस्फाटक विभाग | Formerly- Department of Explosives केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कवकानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SG/KL/22/1098(E55834)

दिनांक (Date): 03/08/2022

सेवा में | 36

Director, PPK Granites & Crusher Products(P)Ltd, Chunangad Post, Ottappalam, Town/Village - Ambalappara 2 District-PALAKKAD, State-Kerala, Pincode - 679511

Survey No.26/2, ग्राम Ambalappar-2,Ottapalam taluk, जिला PALAKKAD, राज्य Kerala में मेसर्स Shri Shiju S द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति से E/SC/KL/22/1098(E55834) के संशोधन संदर्भ में। अनुज्ञप्तिश्वारी के नाम / पता / स्थिति में परिवर्तन)

Possession for Use of of Explosives from magazine situated at Survey No.:26/2, Ambalappar-2, Ottapalam taluk, Dist. PALAKKAD, Kerala -Licence No.: E/SC/KL/22/1098(E55834) granted in Form LE-3 of Explosives Rules, 2008 - (Change in Licensee Name/Address/Status).

महोदय | Sir.

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 01/08/2022 का संदर्भ ग्रहण करें।

Please refer to your letter no. Nil dated 01/08/2022.

अनुज्ञप्ति संख्या E/SC/KL/22/1098(E55834) में **अनुज्ञप्तिधारी के नाम / पता / स्थिति में परिवर्तन** के संदर्भ में निम्नलिखित परिवर्तन प्रभावित किए गए हैं। The following changes are effected in licence No.: E/SC/KL/22/1098(E55834) with respect to the subject below. **Change in Licensee Name/Ac** हाभाषां प्रमान । स्थात न भाषां प्रभाव न भाषां प्रभाव के त्राचन न महाशास्त्रा आवार महाने हैं है है । : E/SC/KL/22/1098(E55834) with respect to the subject below. Change in Licensee Name/Address/Status.

विषयक अनुज्ञप्ति Shri.GEORGE JOSEPH से Shri Shiju S के नाम स्थानांतरित की जा रही है। The subject license is transferred from Shri.GEORGE JOSEPH to Shri Shiju S.

लाइसेंस रिकार्ड के अनुसार प्राधिकृत अभिकर्ता / अठिषता के नाम निम्नानुसार है।

The names of the Authorized Signatory/Occupier in Licence records are noted below.

क्र. No	नाम Name
1)	Shri Shiju S (Occupier)
2)	Shri Shiju S (Authorized Signatory)

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below;

संख्या	ne shall not exceed the kinds and qu विस्फोटक	वर्ग	प्रभाग	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
No	Explosive(s)	Class	Div	0	75	Kg.
	Nitrate Mixture	2	0	0	1000	Mtrs
	Safety Fuse	6	1	0	1000	Nos.
	Electric Detonators	6		0	3000	Nos.
4	Ordinary Detonator	6	3	-		

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद ३ (ख) और (ग) के अधीन अनुङ्गाप्त के लिए लागू) : **30 गुना** Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **30 times as above**.

यह अनुज्ञप्ति दिनांक 31 मार्च 2024 तक प्रवृत्त रहेगी। This Licence shall remain valid till 31st day of March 2024.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें। For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

पी.के राणा | Dr. P. K. Rana)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

प्रतिलिपि प्रेषित। Copy Forwarded to:

District Magistrate, PALAKKAD, Kerala with reference to his Noc No: DCPKD/4911/2022/D3 (Transfer of licence) Dated: 25/07/2022
 Superintendent of Police, PALAKKAD, Kerala.

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट http://peso.gov.in देखें.) (For more information regarding status, fees and other details please visit our website http://peso.gov.in)

Note :- This is system generated document does not require physical signature. Applicant may take printout for their

Digitally signed by Dr. P. K. RANA Reason: Licence No.: E/SC/KU22/1098 Location:Ernakulam [E55834] Date 2022.08.03 01:56:59 +05:30

अनुज्ञप्ति प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुजादि Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1098(E55834) वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri Shiju S (अधिभोगी / Occupier : Shri Shiju S), Director, PPK Granites & Crusher Products(P)Ltd, Chunangad Post, Ottappalam, Town/Village - Ambalappara 2, District-PALAKKAD, State-Kerala, Pincode - 679511

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Company

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। Licence is valid only for the following purpose.

possess for use of Nitrate Mixture, Safety Fuse, Electric Detonators, Ordinary Detonator, - के उपयोग के लिए

4. अनुरुप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है। Licence is valid for the following kinds and quantity of explosives: - (\$\vec{\varphi}\$) (a)

क्र	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one tir
1.	Nitrate Mixture	2,0	0	75 Kg.
2.	Safety Fuse	6,1	0	1000 Mtrs
3.	Electric Detonators	6,3	0	1000 Nos.
4.	Ordinary Detonator	6,3	0	3000 Nos.

(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए] (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]

30 times as above.

679511

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पृष्टि होती है। The licensed premises shall conform to the following drawing(s): रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1098(E55834) दिनांक (Dated) 03/08/2022

पिनकोड (Pincode)

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No. 26/2, SIFI (Iown/Village): Ambalappar-2,Ottapalam tulnk Yield Viell (Police Station): OTTAPALAM जिला (District) PALAKKAD राज्य (State) Kerala

ई. मेल (E-Mail)

दरभाष (Phone) 9349457743 7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

फैक्स (Fax) STONE MASONARY MAGAZINE CONSISTING OF HIGH EXPLOSIVES ROOM

The licensed premises consist of following facilities. AND DETONATOR ROOM SEPERATELY 8. अनुज्ञप्ति समय – समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures

उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सित्रमीण संबंधी और अन्य विवरण दर्शित करते हुए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above 2. अनुसप्ति प्राधिकारी व्यारस हस्ता.क्षरित इस अनुसप्ति की शर्तें और अतिरिक्ति शर्तें।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2015 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2015. यह अनुज्ञप्ति, अधिनियम या उस्के अधीन विरचित नियमों या अनुसूची V के भागू 4 के प्रति निर्दिष्ट सेंट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शतौं का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो। This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached

तारीख | The Date - 01/10/2010

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives

Amendments:

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 06/04/2017
 Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 21/01/2021
 Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 25/03/2021

Transfers:

- Change in Licensee Name/Address/Status dated: 17/09/2012
- Change in Licensee Name/Address/Status dated: 03/08/2022

नवीनीकरण के पृष्ठांकन के लिए स्थान Space for Endorsement of Renewal

नवीकरण की तारीख समाप्ति की तारीख अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Date of Renewal Date of Expiry Signature of licensing authority and stamp 21/01/2019 31/03/2024 Dy. Chief Controller of Explosives, Ernakulam

> कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा। Statutory Warning: Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

> Digitally signed by Dr. P. K. RANA Reason: Licence No. : E/SC/KU22/1098 Location:Ernakulam [E55834] Date 2022 08:03 01:57:19 +05:30

Annexure-17 CSR Activites

	20110	OL GIRLS TO	DILET(1 L	JNIT)	DETAIL	ED EST	TIMATE	
	SCHO	OL GIRLS TO			1		Quantity	remark
	description	NO	L	В	D	CF	the perifery	of the
.no	description clearing grass and re	moval of rubbi	sh up to a c	distance	of 50m	outside	the perior)	
1	area cleared.			5	1	T	25	
	site clearing	1	5 say 25.00 se		5 4.78/Sc	ım	119.5	
			say 25.00 s	qiii e i				
								ne in
2	earthwork in excava- foundation trenche dressing of sides an excavated soil and	s or drains (no	il excening		1 Em in	-luding g	etting out the	2
			6.96	0.6	T		4.176	
	foundation	1	0.50	TOTAL			4.176	
			say 4.176ci	12 14201	The state of the s	cum	910.702	2
			Say 4.176C	un with	1	T		
			unlle and fo	undatio	in .			
3			valls and 10	0.6			4.176	
	FOUNDATION	1	6.96	0.45		-	3.132	
	BASEMENT	1	6.96	0.43		-	0.6	
-	step	2	1				7.908	
-				TOTA		:/cum	21807	.1
			say 7.908	cum @F	3 2/5/.) cuin		
-					to of on	acified s	grade excludi	ing the cost
	Providing and la of centering and sand: 8 graded s	shuttering -	40 nomina	al size)		1:4	0.216	
	FLOOR	1	1.2	1.8	0.1		0.216	
-					UANTITY		1500	
			say .216	cum @F	RS 6944.0	55/cum	1500	-
-							ant concrete	excluding th
	Providing and la cost of centerin level:	ying in position g, shuttering,fi 5:3 (1 cement 1	n specified nishing and 1.5 coarse s	grade o I reinfor and :3 §	f reinforcement graded st	ed cem - All wor one agg	regate 20 mm	nominal siz
+	PLINTH BEAM	1	6.96	0.24			0.66	
1	T LINGT IN DELTAIN				ZUANTIT			816
-			say .66	8cum @	RS 8289	.33/cum	553	7.27
1			-					

7	Filling available exca foundations etc. in l layer by ramming and	ayers not	exceeding	20cm in o	depth, cons	olidating ea	ch depos	ited		
	FILLING	1	1.2	1.8	0.35	0	.756			
		0	.756							
			say .756	cum @ RS	164.81/cur	n 1	24.59			
12	Centering and shuttering including strutting, etc. and removal of form for: Suspended floors, roofs, landings,balconies and access platform									
				slab						
	ROOF	1	2.4	1.8			4.32			
			and the same of th	TAL QUA			4.32			
			say 4.32 s	qm @ Rs	553.47 / sq	m i	390.99			
.3	Centering and shutt beams, plinth beam			and cantil	levers		·•···			
_				Lintel			0.246			
	LINTEL	1	0.9		0.24		0.216			
				OTAL QUA			0.216			
			say .216	sqm @ Rs	449.40/ sq	<u>m</u> .	97			
	slope up to 15 <sup bands, plain window level excluding the with1:2:4 (1 cement size).</sup 	v sills, sta	ircases and tering, shu	d spiral st ttering, fin	air cases unishing and	up to floor reinforceme	five ent,			
	roof	1	2.4	1.8	0.12		0.518			
	lintel	1	1.2	0.24	0.24		0.07			
				OTAL QUA	NTITY		0.588			
					s 9686/cur	n	5695.36			
14	Steel reinforcement position and binding									
	REINFORCEMENT	1				70	70			
			T	OTAL QUA	ANTITY		70	7.110		
-			say	70kg @ Rs	87.57/kg		6129.9			
-					The second secon	made) of si				

X

T				GF	2.1		3.50	784	
1	HORIZONTAL	1	6.96	0.24		-	3.50		
1				DUCTIONS	2.1	-	1 -0.45	536	
7	DOOR D1	1	0.9	0.24	2,1		3.05		
		and the same	TOTAL QU	@ Rs 702	9 750/cu	m	2146		
		say	3.054cum	@ K3 /02	3,730,750				
501			1.2 / 1 con	ent · 3 fin	e sand)				
6	6 mm cement plaste	of mix:	ceili	ng					
		1	1.8	1.2		1	2.	16	
	CELING	1		AL QUANT	ITY		2.	16	
		- 5		m @ Rs 18		m	407	7.07	
			a, 2.20 14						
7	12 mm cement plass cement : 3 fine sand	1	6	2.1			1	2.6	
	OUTSIDE	1	7.92	2.1				5.632	
	0015102		TO	TAL QUAN	TITY			0.232	
-		S	ay 29.232	sqm @ Rs	297.24/	sqm	86	88.92	
-	White washing with							1-1	-
18	OUTSIDE	1	7.92	OUTSIDE	2	.1	1	6.632	
		IN	ISIDE ROO	M GF	1	.1	+	12.6	
_	INSIDE	1	6	DEDUCTIO		.1	_	12.0	
				DEDUCTIO		.1	-1	-3.78	
	DOOR D1	2	0.9	TAL QUAI		.+1		5.452	
			7. 25.45	2 sqm @ F	e 16 14/	sam		110.79	
			Say 25.45	Z Sqiii @ i	13 10.14/	Jan			
P	Finishing with Deprimer as per m @ 1.25 ltr/10 so								
-				OUTSI	DE				
-	OUTSIDE	1	7.92			2.1		16.632	-
-	OUTSIDE	The second secon	INSIDE RO	OM GF					
-	INSIDE	1	6			2.1		12.6	
1	INSIDE			DEDUCT	IONS			0.70	
-	DOOR D1	2				2.1	-1	-3.78	
1	DOORDI			TOTAL QU				25.452 3002.29	-
				Antonio de la companio del companio de la companio della companio		01		2007 70	1
			Say 25.45	52sqm @ I	Rs 117.95	9/ sqm		3002.23	-

6	Providing and laying Conspecified by the manumake, in colours such cement mortar 1:4 (1) white cement and ma	as White, Cement :	Ivory , G 4 Coarse	rey , Fum e sand), ir	e Red Br	own, laid	i on 20 mm he joints wi	thick
\dashv	FLOOR	1	1.8	1.2			2.16	
-	WALL	1	6	1.5			11.16	
_	VVALLE		TO	TAL QUAN	TITY	a.m	10068	
		S	ay 11.16	sqm @ Rs	302.137 3	4111		
21	Providing and fixing 1 mm M.S. gusset plate	I mm thick It is at the junc applying a p Using M.S. a	ctions and	oat of appi	roved stee	el primer.		on and 3 including
		1	0.9		2.1		1.65	
-	door			TAL QUA			1.89	
			Say 1.89	sqm@ Rs	3759.48/	sqm	7105.41	
22	fixtures comple	lid, 10 litre rolled device te, including	low level e (handle g cutting a	lever), cor and making required:	nforming t g good the	o IS : 723 walls an	1, with all fit d floors whe	tings and
22	pan) with seat and with manually contr fixtures comple	lid, 10 litre	low level e (handle g cutting a	lever), cor and making required:	nforming t g good the	o IS : 723 walls an	1, with all fit d floors whe	tings and
22	pan) with seat and with manually contr fixtures comple	lid, 10 litre rolled device te, including	low level e (handle g cutting a	lever), cor and making required: ked black s	nforming t g good the colid plasti	o IS : 723 walls an	1, with all fit d floors whe d lid 1	tings and
22	pan) with seat and with manually contr fixtures comple	lid, 10 litre rolled device te, including V.C. pan wit	low level e (handle g cutting a h ISI mark	lever), cor and making required: ked black s	nforming to good the colid plasti	o IS : 723 walls an	1, with all fit d floors whe d lid 1	tings and
22	pan) with seat and with manually contr fixtures comple	lid, 10 litre rolled device te, including V.C. pan wit	low level e (handle g cutting a h ISI mark	lever), cor and making required: ked black s	offorming to good the colid plastic	o IS : 723 e walls and c seat and	1, with all fit d floors whe d lid 1 1 4210	tings and rever
22	pan) with seat and with manually contr fixtures comple wc Providing and fixir brass waste of st	rolled device te, including V.C. pan wit	in with C.	required: ced black s rOTAL QU/ y 1no@ Rs	ANTITY 4210/no , 15 mm C	c seat and	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3 brackets, cut	tings and rever 2 mm C.P ting and
	pan) with seat and with manually contr fixtures comple wc Providing and fixir brass waste of st White Vitreous C	rolled device te, including V.C. pan wit	in with C.	required: red black s roTAL QUA y 1no@ Rs I. brackets uding paint he walls w taps	ANTITY 4210/no , 15 mm C ting of fitt	c seat and	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3 brackets, cut 5 mm C.P. br	tings and rever 2 mm C.P ting and
	pan) with seat and with manually contr fixtures comple wc Providing and fixir brass waste of st	ng wash bastandard patishina Wash I	in with C. tern, incluing good to	required: required: red black s rOTAL QU/ y 1no@ Rs I. brackets uding paint he walls w 630x450 r taps	ANTITY 4210/no 1, 15 mm Cling of fitty wherever remm with a	c seat and c.P. brass ings and be equire:	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3: orackets, cut 5 mm C.P. bi	tings and rever 2 mm C.P ting and rass pillar
	pan) with seat and with manually contr fixtures comple wc Providing and fixir brass waste of st White Vitreous C WASH BASIN	ng wash bastandard patienthina Wash I	in with C. tern, incluing good to passin size	required: required: red black s rOTAL QU/ y 1no@ Rs I. brackets uding paint he walls w 630x450 r taps	ANTITY 4210/no 1, 15 mm C ting of fitt herever r mm with a	c.P. brassings and bequire:	1, with all fit d floors whe d lid 1 4210 pillar taps, 3: orackets, cut 5 mm C.P. bi 1 2799	tings and rever 2 mm C.P ting and rass pillar
	pan) with seat and with manually contr fixtures comple W WC Providing and fixir brass waste of st White Vitreous C WASH BASIN Providing and fix and size with plants	lid, 10 litre rolled device te, including V.C. pan wit 1 ng wash bas tandard pat maki thina Wash b	in with C. tern, incluing good to pasin size	required: required: red black s rotal QU/ y 1no@ Rs l. brackets uding paint he walls w 630x450 r taps TOTAL QU ay 1no@ R	ANTITY 4210/no 415 mm Coling of fitte ANTITY 4210/no 45 4210/no 46 fapprover 47 approver 48 2799/no 48 fapprover 48 approver	c.P. brassings and bequire: a pair of 1 d quality) and shade	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3 brackets, cut 5 mm C.P. brackets 1 1 2799 and of requi	tings and rever 2 mm C.P ting and rass pillar
22	pan) with seat and with manually contraction fixtures comple W WC Providing and fixing brass waste of state with evitreous C WASH BASIN Providing and fixed and size with place.	ng wash bastandard patinahina Wash i	in with C. tern, incluing good to pasin size San San Rectangue	required: red black s rotal QUA y 1no@ Rs l. brackets uding paint he walls w 630x450 r taps TOTAL QU ay 1no@ R	ANTITY 4210/no 415 mm Coling of fitte ANTITY 4210/no 45 4210/no 46 fapprover 47 approver 48 2799/no 48 fapprover 48 approver	c.P. brassings and bequire: a pair of 1 d quality) and shade	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3 brackets, cut 5 mm C.P. brackets, cut 1 1 2799 and of require with 6 mm to	tings and rever 2 mm C.P ting and rass pillar
22	pan) with seat and with manually contr fixtures comple W WC Providing and fixir brass waste of st White Vitreous C WASH BASIN Providing and fix and size with plants	lid, 10 litre rolled device te, including V.C. pan wit 1 ng wash bas tandard pat maki thina Wash b	in with C. tern, incluing good to pasin size San San Rectangue	required: required: red black s rotal QUA rotal paint he walls w 630x450 r taps TOTAL QU ay 1no@ R rotal qu ay 1no@ F	ANTITY 4210/no 415 mm Coling of fitte ANTITY 4210/no 45 4210/no 46 fapprover 47 approver 48 2799/no 48 fapprover 48 approver	c.P. brassings and bequire: a pair of 1 d quality) and shade	1, with all fit d floors whe d lid 1 1 4210 pillar taps, 3: orackets, cut 5 mm C.P. bi 1 2799 and of requiwith 6 mm t	tings and rever 2 mm C.P ting and rass pillar red shape thick hard

SOAK PIT		8000
	PLUMPING	9000
	ELECTRIFICATION	9000
_	LUMPSUM	6000
	GRAND TOTAL	1,29,365

SCERENT TO THE THE PROPERTY OF THE PARTY OF



യെല്യെട്ടറ്റ് പ്രാമ പത്തായത്ത്

1	DARAA TOWER	C BANK R, PAZHAYA ROAD, MEDICAL COLLEGE . RJM, TRIVANDRUM-695011, KERALA EFT IFSC : HDFC0004740				0) 5 0 5 2 0 2 2 D D M M Y Y Y Y Valid for 3 months only
2	Pay	BUDHEESH				orenens Global	Or Bearer
2016 0003	Rupees	Twenty 1	Tive Thou	usand 1	Rupees,	on	19. या धारक को
A)CV CTS					अदा करें	₹	25000/-
SESTAN	A/c. No.	50200066618922	CC eAHRITYA	ew Account)	For PPK GRAN	ITE AND C	RUSHER PRODUCTS PVT LTD
		Payable at part through clearings	ransiler at all branches of HDFC BANK	KLTD		6	Authorised Signalories
		**0000	03# 6952400	14: 00?	475# 29		ease agn above / pum set secole at

സുമനസ്സുകളുടെ സഹായം തേടുന്നു..





പേര് : സുധീഷ് വയസ്റ്റ് : 28

സുഹൃത്തേ

പാലക്കാട് ജില്ലയിലെ കരിമ്പ ഗ്രാമപഞ്ചായത്തിൽ 6-ാം വാർഡ് ചൂരക്കോട് താമസിക്കുന്ന പഴനിയപ്പൻ എന്നയാളുടെ മകൻ സുധീഷ് (വയസ്സ് 28) ക്രഷർ മെഷീനിൽ വീണ് ഗുരുതരാവസ്ഥയിൽ തൃശ്ശൂർ ആത്രേയ ഹോസ്പിറ്റലിൽ ചികിത്സയിലാണ്. ഇവരെ സഹായിക്കുന്നതിനുവേണ്ടി പറ്റാവുന്ന ആളുകൾ താഴെ കൊടുത്തിരിക്കുന്ന അക്കാണ്ട് നമ്പറിലേക്ക് നിങ്ങളാൽ കഴിയുന്ന സാമ്പത്തിക സഹായം നൽകണമെന്ന് വിനീതമായി അഭ്യർത്ഥിക്കുന്നു..

HOLDER NAME: SUDEV.K.P (Brother)
FEDERAL BANK KALLADIKODE BRANCH

A/C NUMBER : 10890100139353 IFSC CODE : FDRL0001089 MOB : 9746861551



9746861551



CSR Activity






Reg.No.
PKD/CS/340/2018 "ദ്രേഷിയാന"
21/184 അഞ്ചാം മൈൽ, എടത്തറ, പാലക്കാട് - 678 611
Mob: 9778725518, 8308146453, 9323258904 Ph: 0491- 2959585
നമ്പർ 1015 തിയ്യതി ക് 204 22
(ശീ/ ശ്രീമതി P-P-K Grante
പക്കൽ നിന്നും
അൽ നിന്നും
അൽമിനസ്ട്രേറ്റീവ് ഓഫീസർ ചെയ്യുപേഴ്സൺ




Ph(Office): 7907211301 8590834146 Pan No: AADTM8909M	MOTHER CHARITABLE TRUST Mother charitable Trust Mother charitable Trust Central Bank of India Branch: Alathur Alc: 3434466284 IFSC: CBII:0285013
நாளி : 457 புவ க்கை கள்	mussiam audimi migramite di (2 13 he)
പക്കൽനിന്നും.	30റ്റ. കിട്ടിബോധിച്ചു.
₹ 30	Office Time: 10.00am to 5.00pm

4

.



BAFAKI THANGAL SMARAKA SOUDHAM (Ambalapara Panchayath Muslim League Office) Chunangad Malappuram, Ottapalam No. 30 BUILDING FUND Date: 28.09.22 Received with thanks from PPK CRESHER Chunangad the sum of rupees towards



No.: PPK Gyandle & Cyton Complex Main Road, Alathur, Palakka DONATIO	14, d - 678 541. Mob: 7907211301
Particulars	Amount Rs. P
Received the sum of rupees Tub hence	200

ŧ.,

IFSC: SBIN0012891, SBI Chelakkara Branch



GRAMOTHAYA BHAVAN

Tharoor P.O., Palakkad Dist, Kerala - 678544 Ph: 8078025838, 8075723635 Reg. No. PKD/CA/147/2017

NA SPIANZAN GRAMATHANA BANYAN GRAMATHAN	Donation Re	ceipt	Date. 3	1/8/22
Received with thanks from SC 843 h.c.	Dondus	95 C	Date 3 GAGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	tes.
being donation	MA BHAMAYEHAMOONIA BHAMAY GAABUUH MA BHAMMAANIO HAMA BHAMAY EPUMUH SYA BHAMALO HAMOO HAMAY SELABUTH MA SHAMANCH MATHIKIS BHAMAYORABUTH MA SHAMANCH MATHIKIS BHAMAYORABUTH	₹	500f	A BHAVELOR MOTHOR A
President	Secretary	Ire	easurer /	



MOTHER CHAKIT. Reg.No. 86/IV/2019 P.M. Complex, Main Road, Alathur, Palakkar DONATION Name. P. P. L. Caya reals	14, d - 678 541. Mob: 7907211301	2022
, , , , , , , , , , , , , , , , , , , ,	Amour	nt
Particulars	Rs.	Ps.
Received the sum of rupees	Sob	RITA

ş X •

CAN CAN	രുദിവാസി ദളിത് ഒ	എകൃവേദി	
0203 nmuå (w³./(w³lami പക്കൽനിന്നും. നന്ദിപൂർവ്വം ക്	D No R 38/	100	12/11
0203	സംസ്ഥാന പ്രവർത് സംഭാവന രശീ	ത്രിയ്യതി	13/1/1
നമ്പർ	017	To puny	

,





FRIEN	S MOVIES	MEDICAL	FILM SOCIETY
	Reg.No. 1860/	98, K.K. Junction, I	Ponnani,
	AIDS, CHICK	KUN GUNIA S	PECIAL
vo. : 586		RECEIPT	Date 23/6/2
Received P13	with thanks from	m Sri./Smt.	
sum of Rup	ees The	- W	being donation
₹	300		Society Director'

Olterpalon

BLOCK PATHIPU

ORDER FORM

Date
p.p.k. granslés & crusher product Chunangad Phone: 8086092 471
Phone: 8086092 47 Manager, htraveekshanam Publications, Palakkad - 1
e publish an advertisement in . O Ltay Dow Block Pathipu.
Yours Faithfully
SOD - admit
(Signature of Advertiser)
ords - Live Hundred
For Rashtraveekshanam



RASHTRAVEEKSHANAM PUBLICATIONS

(A Sister Concern Of Rashtraveekshanam Group)
K.K. Building, Illrd Floor, Mettupalayam Street, Palakkad - 678 001

Ph: +91 70258 39402 E-mail: rashtraveekshanammagazine@gmail.com





Govt. Medical College Hospital, Thrissur M.G Kavu, Medical College (P.O.), Thrissur - 680 596, Ph. 0487 2200310 - 16

M.6 Clinic Token No Unit Name UHID Referred	Gastroenterology-WGS MOHANAN Sex THU 20220318360°: Maie
	aldo (LD) E PHAM / exophageal vaccies vaccies
6	Fovel - high gread à chill x 2 day Provel - high gread à chill x 2 day alm pahquenen Downer andomen petechia Downer andomen weo choit.
	on and pain-leonshpation controy februer mostap ole pn-120 chet clear
	emp. Of Conclust overhaved fever/2 Bleeding manifestor
	Please bring this pard on each visit

MEDICAL CERTIFICATE FOR **AVAILING FINANCIAL ASSISTANCE** FOR TREATMENT

the Patient undergoes Treatment)





- Mohanan 49 51yrs Cheramangalam. Pazhayandithara 678703.

2. OP/IP No. with date of Registration Admission.

70.278

Description of the desease

Treatment Recommended

Expenditure already Incurred, if any

6. Anticipated expenditure of the treatment undergoing

Alcoholic Liver Circhosis with Postal HTN, Intrahepatri Portal Vermi Imombosis | Hepatorena | Syndrome | Hypothyroidism/ Hypocelamia with Tetany.

- Needs life long treatment. He may need liver bransplan abon which costs around Rs. 25 lakhs · CAL MAmrita Institute of medical science

Remarks

Signature and Name of the Issuing Authority and Name and Address of the Hospital

Place: Palakkad Date : 1 9 21

Dr. Athira. BM Assistant Surgeon -CHC Nenman.

ASSISTANT SURGEON

P.P.K. GRANITES & CRUSHER PRODUCTS PVT. LTD.

	Particulars		Amount Rs.	P
Donatio	n Meclical	Allowers	10001-	
	s Ohl Then	TOTAL	10001	

Annexure-18 Monitoring Reports



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka) Ph : +91 8394 229433 & 295018

e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 16.07.2022

Analysis Report of Ambient Air Quality Monitoring

Granite Building Stone Quarry of

M/s.P.P.K. Granites and Crusher Products Private

Limited.

Name of the Customer/Address Extent: 2.4374 Ha.

Re Sy. No.,135/pt, Ambalappara-II Village, Otappalam

Taluk, Palakkad District, Kerala State.

Ambient Air Quality Monitoring Sample Description

3 Sample Collected By GLOBAL Environment & Mining Services

4 Duration of the Monitoring 24 Hour of Sampling Location of Monitoring (A1) Core zone

Report No ULR-TC532322000001104F

Result

Si	Date		Pa	rameters in μg/ι	n ³	
No.	Date	PM ₁₀	PM _{2.5}	SO_2	NO ₂	Lead in PM
1	11.07.2022	57.6	25.9	19.4	14.5	BDL
NA	AQ Standards 2009	100	60	80	80	1.0

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO₂ - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0) - IS 5182 (Part 6): 2006 (RA 2017) BDL ((<5.0) NO₂

- IS 5182 (Part 22): 2004 (RA 2014) Lead

- Below Detectable Limit. BDL

Analyzed By J.M. Thippeswamy Chemist

Authorized Signatory K. Ramakrishna Reddy Technical Manager

Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

The result listed refers only to the tested samples & applicable parameters. Endorsoment of products is neither inferred nor implied.

Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise

This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka) : +91 8394 229433 & 295018 Ph

e-mail : gems_hpt@yahoo.com, Website www.globalmining.in



GEMS-LD/TF/11/01 Date: 16.07.2022

Analysis Report of Ambient Air Quality Monitoring

Granite Building Stone Quarry of

M/s.P.P.K. Granites and Crusher Products

Private Limited.

Name of the Customer/Address Extent: 2.4374 Ha.

Re Sy. No., 135/pt, Ambalappara-II Village,

Otappalam Taluk, Palakkad District, Kerala State.

Sample Description : Ambient Air Quality Monitoring

3 Sample Collected By GLOBAL Environment & Mining Services

4 Duration of the Monitoring 24 Hour of Sampling 5 Location of Monitoring : (A2) Murugumpetta

Report No : ULR-TC532322000001105F

Result

Si	Date		Pa	rameters in μg/r	n³	
No.	Date	PM_{10}	PM _{2.5}	SO_2	NO ₂	Lead in PM
1	12.07.2022	50.1	23.6	17.7	13.2	BDL
NAA	AQ Standards 2009	100	60	80	80	1.0

Note: No Mining activities during the period of Monitoring.

PM10 - IS 5182 (Part 23): 2006 (RA 2017)

PM2.5 - USEPA 2001

SO2 - IS 5182 (Part 2): 2001 (RA 2017) BDL (<3.0) NO₂ - IS 5182 (Part 6): 2006 (RA 2017) BDL ((<5.0)

Lead - IS 5182 (Part 22): 2004 (RA 2014)

- Below Detectable Limit. RDL

Analyzed By J.M. Thippeswamy Chemist

K. Ramakrishna Reddy Technical Manager

Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

Note:

The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

specifical.
This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 rd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka) : +91 8394 229433 & 295018 Ph

e-mail : gems_hpt@yahoo.com, Website www.globalmining.in



GEMS-LD/TF/11/01 Date: 16.07.2022

TEST REPORT OF AMBIENT NOISE LEVEL MONITORING

Granite Building Stone Quarry of

M/s.P.P.K. Granites and Crusher Products Private

Limited.

Name of the Customer/Address

Extent: 2.4374 Ha.

Re Sy. No., 135/pt, Ambalappara-II Village,

Otappalam Taluk, Palakkad District, Kerala State.

Sample Description

Ambient Noise Level monitoring

3 Sample Collected By GLOBAL Environment & Mining Services

Particulars of Sample Collected

Noise Level Meter (Equinox-107)

Duration of the Monitoring 5

: 24 Hours Sampling

Date of Analysis Completion


: 12.07.2022

Report No

: ULR-TC532322000001106F

Result

Date	ame of the Core Zone Municipal	
Name of the Location		
Time (hrs)	N1	N2
6.00	40.6	41.5
7.00	45.3	44.7
8.00	48.5	49.3
9.00	51.6	50.9
10.00	56.2	54.8
11.00	57.9	55.4
12.00	54.3	51.6
13.00	54.1	52.1
14.00	56.8	54.7
15.00	58.3	56.5
16.00	57.2	55.3
17.00	55.9	52.7
18.00	54.2	51.5
19.00	49.1	49.7
20.00	48.3	49.3
21.00	47.5	48.3
22.00	46.2	47.3
23.00	42.7	44.5
00.00	40.8	41.8
01.00	37.4	38.5
02.00	35.5	36.7
03.00	36.8	37.4
04.00	37.1	38.1
05.00	37.5	38.7



Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 nd Main Road, Basaveswara Badavane, HOSPET – 583201, Dist.., Bellary (Karnataka)

: +91 8394 229433 & 295018 Ph e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



	ULR-	ULR-TC532322000001106F		
L max	58.3	56.5		
L min	35.5	36.7		
Ld	54.6	52.7		
Ln	40.8	41.9		
Ldn	53.5	52.5		

		Limit in dB(A) Leq		
Area Code	Category of Area	Day Time	Night Time	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Area	50	40	

Day time shall mean from 6:00 am and 10.00 pm
Night time shall mean from in between 10.00 pm and 5.00 am
Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority
*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
A "decibet" is a unit in which noise is measured
"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Authorized Signatory Technical Manager

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Kamataka, Maharashtra, Goa for DGPS survey

Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.

 Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 nd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018 e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



GEMS-LD/TF/11/01 Date: 16.07.2022

ANALYSIS REPORT OF WATER QUALITY DATA

Granite Building Stone Quarry of

M/s.P.P.K. Granites and Crusher Products

Private Limited.

Name of the Customer/Address Extent: 2.4374 Ha.

Re Sy. No., 135/pt, Ambalappara-II Village,

Otappalam Taluk, Palakkad District, Kerala State.

Sample Collected By : GLOBAL Environment & Mining Services

3 Sampling Method : Grab Sample Date of sample collection 11.07.2022 5

Date of sample Received : 14.07.2022 Date of sample Analyzed : 15.07.2022

Report Number : ULR-TC532322000001107F

Result

SI. No.	Parameters	Unit	Result	Test Protocol	Requirement/Limit IS: 10500: 2012	
				to an individual particular and destination	Acceptable	Permissible
1,	Hq	2	7.12	APHA 22 rd Edition 2012 4500 B (Pg No. 4-92 to 4-96)	6.5	8.5
2.	Colour*	Hazen	<5	IS: 3025 (PART 14)- 1984, RA-2012 Platinum cobalt Method	5	15
3.	Taste*		Ag	IS 3025 Part 8 1984	Ag	Ag
4.	Odour*	-	Ag	IS: 3025 (Part 5) – 1983, Ra-2012, True Odour	Ag	Ag
5.	Turbidity	NTU	1.53	APHA 22 nd Edition 2012 2130 B (Pg No. 2-14)	1	5
6.	Conductivity	μS/cm	175	APHA 22 nd Edition 2012 2510 B (Pg No. 2-54)	e e	(1 1 0)
7.	Total Dissolved Solids	mg/L	197	APHA 22 nd Edition 2012 2540 B (Pg No. 2-65)	500	2000
8.	Total Alkalinity as CaCO ₃	mg/L	66	APHA 22 nd Edition 2320 B (Pg No. 2-35)	200	600
9.	Total Hardness as CaCO ₃	mg/L	164	APHA 22 nd Edition 2012 2340 C (Pg No. 2-46)	200	600
10.	Calcium as Ca	mg/L	65	APHA 22 nd Edition 2012 3500 Ca B (Pg No. 3-84)	75	200
11.	Magnesium as Mg	mg/L	8.9	APHA 22 nd Edition 2012 3500 B-Mg By Calculation	30	100
12.	Chloride as Cl	mg/L	20.4	APHA 22 nd Edition 2012 4500 C1 (Pg No. 4-72)	250	1000
13,	Sulphate as SO ₄	mg/L	132	APHA 22 nd Edition 2012 4500 SO42 – E (Pg No. 4-190)	200	400
14.	Nitrates as NO ₃	mg/L	8.6	APHA 23 nd Edition - 4500 NO ₃ , – E (Pg No. 4-131 to 4-132)	45	NR
14.	Nitrate Nitrogen as NO ₃	mg/L	26	APHA 22 nd Edition 2012 4500 NO3 E (Pg No. 4-125 to 4-127)	45	No relaxation

- Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

 Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise Specified.

 This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.

 Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only.



(Consulting Engineers, Mine designers, Geologist & Surveyors) 3 nd Main Road, Basaveswara Badavane, HOSPET - 583201, Dist.., Bellary (Karnataka)

Ph : +91 8394 229433 & 295018 e-mail : gems_hpt@yahoo.com, Website : www.globalmining.in



						ULR-TC532322000001107F
15.	Fluoride as F	mg/L	0,70	APHA 23 rd Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	1.0	1.5
16.	Iron as Fe	mg/L	0.28	APHA 23 nd Edition – 3500 Fe-B (Pg No. 3-80 to 3-82)	0.3	NR
17.	Sodium as Na	mg/L	8.1	APHA 23 nd Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	5543	
18.	Potassium as K	mg/L	0.82	APHA 23 nd Edition 3500 K B (Pg No. 3-89 to 3-90)		-
19.	BOD 3 days at 27° C	mg/L	NIL	IS:3025 (P.44) - 1993 , RA-2014,	0.5	5
20,	COD as O2	mg/L	NIL	APHA 23 rd Edition 5220 C (Pg No. 5-18 to 5-19)	N#:	3
21.	Oil & Grease	mg/L	NIL	APHA 23 ^{nl} Edition 5520 B (Pg No.5-41 to 5-42)	0.5	NR
22.	Cadmium as Cd*	mg/L	<0.001	APHA 23 RD Edition-3111 –B (Pg No.3-20 to 3-21)	0.003	NR
23.	Copper as Cu	mg/L	<0.001	APHA-23 RD Edition 3111-B (Pg No.3-20 to 3-21)	0.02	1.5
24.	Nickel as Ni	mg/L	< 0.001	APHA-23 RD Edition-3111 -B (Pg No. 3-20 to 3-21)	0.02	NR
25.	Zinc as Zn	mg/L	<0.1	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	5	15
26.	Salinity*	PPT	NIL	APHA-23 RD Edition-3111-B (Pg No. 3-20 to 3-21)	•	¥ .
27.	Total Phosphorous	mg/L	< 0.01	APHA-23 RD Edition 4500-D (Pg No. 4-154)	•	2
28.	Total Coliforms*	MPN/ 100ml	Ab	APHA 22 ^{nl} Edition 9222 B (Pg No.9-78)	*	ia .
29.	Feacal Coliforms	MPN/ 100ml	Ab	APHA 22 nd Edition 9222 D (Pg No.9-85)	-	
30.	Phyto Plankton*	Unit/L	Ab	APHA 23 nd Edition 10200 F (Pg No.10-17)	2	-

Note: BDL Below Detectable Limit

Ag: Agreeable NR: No Relaxation RA: reaffirmed Ab: Absent

End of report

Analyzed By Chemist

Authorized Signatory Technical Manager

Approved by NABL & Recognized by Ministry of Environment, Forest and Climate Change for Laboratory Recognized by Government of Kamataka, Maharashtra, Goa for DGPS survey

The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.

Water Samples will be destroyed after 15Days, Minerals 3 Months, Filter papers & Thimbles 7 Days and ILC samples from the date of issue of Month test certificate unless otherwise specified.

This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.

Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hosapete jurisdiction only